

SIARDO 400R

Table solar

BENKERTBÄNKE



SIARDO 400R

Table solar


BENKERTBÄNKE



SIARDO 400R

Table solar

BENKERTBÄNKE



GROUND ANCHOR

1. Concrete-in, installation depth 400 mm
2. Bolt-on, installation depth 80 mm
3. Take-out, installation depth 320 mm

DIMENSIONS

| | |
|---------|-----------|
| Length: | 1834 mm |
| Width: | 685 mm |
| Height: | 730 mm |
| Weight: | ca. 70 kg |

FRAME

Stainless steel type 304 | powder-coated

TABLE SURFACE

Stainless steel type 304 | round tubes Ø16mm

SOLARPANEL



| | |
|---------|---------|
| Length: | 1800 mm |
| Width: | 152 mm |
| Height: | 44 mm |
| Weight: | 11 kg |

- Solar panel with 48W
- LED lighting
- Lithium-ion battery with 20Ah
- Integrated MPPT charge controller adjusts the input voltage of the solar panel so that it can deliver maximum power
- 2 wireless chargers for inductive charging (Qi standard)
- Active cooling system with two fans
- Automatic lighting in the dark
- On/off switch for manual operation when required




SIARDO 400R

Table solar

BENKERTBÄNKE

GROUND ANCHOR CONCRETE-IN, INSTALLATION DEPTH 400 MM




Foundations depend on local conditions - This is only a suggestion without warranty

SIARDO 400R

Table solar

BENKERTBÄNKE

GROUND ANCHOR BOLT-ON, INSTALLATION DEPTH 80 MM




Foundations depend on local conditions - This is only a suggestion without warranty

SIARDO 400R

Table solar

BENKERTBÄNKE

GROUND ANCHOR TAKE-OUT, INSTALLATION DEPTH 320 MM



Foundations depend on local conditions - This is only a suggestion without warranty