

SICORUM M300

Bench 2000 solar

BENKERTBÄNKE



SICORUM M300

Bench 2000 solar


BENKERTBÄNKE



SICORUM M300

Bench 2000 solar

BENKERTBÄNKE



GROUND ANCHOR

1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

DIMENSIONS

Length:	2002 mm
Width:	630 mm
Height:	790 mm
Seat height:	465 mm
Weight:	ca. 90 kg

FRAME

Stainless steel type 304 | powder-coated

SEAT / BACKREST

Stainless steel type 304 | square tubes 15 x 15 mm

SOLARPANEL




Length:	1800 mm
Width:	152 mm
Height:	44 mm
Weight:	11 kg

- Solar panel with 48W
- LED lighting
- Lithium-ion battery with 20Ah
- Integrated MPPT charge controller adjusts the input voltage of the solar panel so that it can deliver maximum power
- 2 wireless chargers for inductive charging (Qi standard)
- Active cooling system with two fans
- Automatic lighting in the dark
- On/off switch for manual operation when required




GROUND ANCHOR CONCRETE-IN, INSTALLATION DEPTH 250 MM



Foundations depend on local conditions - This is only a suggestion without warranty

GROUND ANCHOR BOLT-ON, INSTALLATION DEPTH 80 MM



Foundations depend on local conditions - This is only a suggestion without warranty

SICORUM M300

Bench 2000 solar

BENKERTBÄNKE

GROUND ANCHOR

Foundations depend on local conditions - This is only a suggestion without warranty